K-Vit Flair Bath Shower Mixer



K-Vit Flair Bath Shower Mixer
Brass construction chrome plated
Suitable for medium pressure system

MYLIFE MAGMA BATH SHOWER MIXER & KIT



- Chrome Plated
- Waterfall Effect Flow
- Minimum Bar Pressure Required to Outlet 0.2

KARTELL PLAN CHROME 4 HOLE BATH SHOWER MIXER TAP

| Minimum Working Pressure | 1.0 Bar |
|--------------------------|-----------------------|
| Finish | Chrome |
| Material | Brass |
| Brand | Kartell |
| Guarantee | Lifetime |
| Delivery Estimate | 1-3 Working days |
| Тар Туре | Bath Shower Mixer Tap |



DAKOTA BATH SHOWER MIXER & KIT



- Chrome Plated
- Neoperl Adjustable Slim Air Aerator
- WRAS Approved
- Minimum Bar Pressure Required to Outlet 0.5



NERO

Bath Shower Mixer

PRODUCT CODE: NR BSM C

Perfectly proportioned taps with a simple and timeless feel, designed to be easy to use with the lightest touch.



PRECISE GLIDE



LUMBIANCE CUROM



SECURE FIX



CHADANTEI





BRISTAN FRENZY DECK-MOUNTED BATH / SHOWER MIXER TAP

Chrome-plated brass. Ceramic disc technology ensures smooth action and reduces risk of dripping. Durable, metal lever handes allow for control with minimal effort. Diverter valve provides simple switching between the bath fill and shower functions. Contemporary design.

- 5 Year Manufacturer's Guarantee (T&Cs Apply)
- 1/4 Turn Operation
- Suitable for High & Low Pressure Systems
- Chrome
- Waste Not Supplied
- Contemporary
- 180mm Inlet Centres



Cerna Bath Shower Mixer + Kit

Give your bathroom a new look with these stylish and functional taps from Fresssh. With a contemporary and sleek design, these taps will look the part with almost any bathroom décor.

An ergonomic design combined with single lever functionality these taps are both well-designed and elegant. A quarter turn ceramic disc is built in for rapid on/off flow control. This tap comes supplied with brass back nuts.

Specifications

- Finish chrome
- Body Material Brass
- Valve Type ½" Ceramic disc
- Inlet Connections 3/4" BSP
- Quarter turn ceramic disc for rapid on/off flow control
- Supplied with brass back nuts
- 20 years covering manufacturing faults
- Approx Weight 1.4kg
- 0.3 bar min pressure