



## Section 1

Product Code	Description
<b>Bottle Traps with 75MM Water Seal</b>	
A10 C10	Standard 1 ¼" 1 ½"
A10V C10V	Anti-Syphon (Silentrap) 1 ¼" 1 ½"
A10A C10A	Adjustable Inlet 1 ¼" 1 ½"
E10	50mm Water Seal 1 ¼"
G10	38mm Water Seal 1 ½"
<b>Tubular Traps with 75mm Water</b>	
SA10 SC10 SE10	Swivel 'P' 1 ¼" 1 ½" 2"
ASA10 ASC10	Adjustable Inlet 1 ¼" 1 ½"
SB10 SD10 SF10	Swivel 'S' 1 ¼" 1 ½" 2"
SR10* TR10*	Running 'P' 1 ¼" 1 ½"
X10	Straight Through (with one cleaning eye) 1 ¼" Inlet x 1 ¼" Outlet
<b>Domestic Appliance Traps 1 ½" x 75mm Water Seal</b>	
WM2	Sink Traps with connection for the discharge from domestic appliance(s)
WM11*	With Adjustable Inlet
V33WM	Standpipe Trap and Fittings Twin Connector

WM3*	Standpipe Trap
WMF3 V33L	<b>Accessories</b> Straight Nozzle Swept Tee (1 ½" x 1 ½" x ¾")
<b>Space Saver and Standard Plumbing Kits for Sinks. Plumbing Kit for Adjustable Height Basin or Sink</b>	
SK1	Bowl and a Half Kit
SK2	Double Bowl Kit
<b>Condensate Products for Connecting Condensate Discharge from Condensing Boilers to Sanitary Pipework</b>	
CLAMP1GR	<b>Auxiliary Fittings</b> Pipe Clamp to suit 1 ¼"/1 ½" Pipe (Grey)
R1M-CO	Straight Connector
<b>Bath Traps 75mm, 60mm, 50mm and 19mm Water Seal</b>	
SM10 Q10	<b>Bath Traps without Overflows</b> 1 ½" x 50mm Water Seal 1 ½" x 19mm Water Seal












## Section 2

Product Code	Description
<b>Gullies for use with Sheet Flooring</b>	
TSG1-WH	<b>75mm Water Seal Trap</b> With Securing Screws (White)
<b>Gullies for use with Tiled or Stone Floors where a Waterproof Membrane is required</b>	
TSG1T6SS	<b>75mm Water Seal Trap</b> With Securing Screws (Stainless Steel)




## Section 3




Product Code	Description	Image
<b>Multifit Waste Fittings</b>		
MS4 MT4 MZ4	<b>90° Bend</b> 1 ¼" 1 ½" 2"	
S28M T28M Z28M	<b>Straight Connector</b> 1 ¼" 1 ½" 2"	
V8M V1M V15M	<b>Swept Tee</b> 1 ¼" 1 ½" 2"	
S11M T11M Z11M	<b>Multifit Tank Connector</b> 1 ¼" 1 ½" 2"	
<b>Flexible Waste Fittings and Non-Return Valves</b>		
FLEXCON1 FLEXCON2	<b>Flexible Connector</b> 1 ¼" 1 ½"	
FLEXCON5 FLEXCON6	<b>Universal Compression Connection x PVC Plain Spigot</b> 1 ¼" 1 ½"	
S28M-NRV T28M-NRV	<b>In-Line Non-Return Valves</b> 1 ¼" 1 ½"	
<b>Drain Connectors and Blanking Off Caps</b>		
DC1-BL	<b>Drain Connector</b> 4"/110mm x 4"/110mm Connector	









DC2-BL	<b>Drain Reducer Connector</b> 4"/110mm Reducer Connector with sealing ring 1 ¼" and 1 ½"	
DC3BL-OS	4"/110mm Reducer Connector with offset sealing ring 1 ¼" and 1 ½"	
DC4-BL	4"/110mm Blanking Cap for sealing cast iron, plastic or clay	

## Section 4


Product Code	Description	Image
<b>¾" Overflow Pipe, Pushfit and Universal Fittings</b>		
R1M-CO	Straight Connector	

## Section 5

Product Code	Description	Image
<b>Flexible WC Connectors</b>		
WC-F26R WC-F23R	<b>97-107mm Inlet 4"/110mm Outlet</b> Closed 170mm>Extended 410mm Closed 140mm>Extended 290mm	
<b>90° Flexible WC Connectors</b>		
WC-CON8F	<b>97-107mm Inlet 4"/110mm Outlet</b> 200mm>400mm	
<b>Rigid WC Connectors</b>		
WC-CON1	Straight 97-107mm Inlet 4"/110mm Outlet	

WC-CON2	Straight Adjustable Length 97-107mm Inlet 4"/110mm Outlet	
WC-CON4	20mm Offset 97-107mm Inlet 4"/110mm Outlet	
WC-CON8	90° Bend Adjustable Length 97-107mm Inlet 4"/110mm Outlet	
WC-CON8V	90° Bend Adjustable Length with Vent Boss 97- 107mm Inlet 4"/110mm Outlet	
WC-CON8E	90° Bend Adjustable Length Extended Inlet 97- 107mm Inlet 4"/110mm Outlet	
WC-CON8Q	90° Space Saving Bend Adjustable Length 97- 107mm Inlet 4"/110mm Outlet	
WC-EXTA	Straight Extension Adjustable Length 4"/110mm Outlet	
WC-EXTB	Straight Extension Adjustable Length 3 ½"/90mm Outlet	

## **Section 6**

<b>Product Code</b>	<b>Description</b>	<b>Image</b>
<b>Air Admittance Valves (Ventapipe)</b>		
VP50P	Ventapipe 50 with dual-fit synthetic rubber finger seal outlet for 3"/75mm or 4"/110mm pipe 4"/110mm pipe- push over rubber seal 3"/75mm pipe- push into rubber seal	
VP50	Ventapipe 50 with 2" universal compression outlet	